
xCELLIGENCE SYSTEM PUBLICATION LIST

CELL INVASION AND MIGRATION

RELEVANT DATA, REMARKABLE PUBLICATIONS

Accelerate your research and increase your productivity with pioneering real-time cellular analysis

Researchers are successfully using the xCELLigence RTCA Systems in a wide variety of scientific disciplines. We are proud to share this list of publications from the growing community of xCELLigence customers and collaborators. If we missed one, please send the citation to publications@aceabio.com.

CELL INVASION & MIGRATION

- 1. A selective phosphatase of regenerating liver phosphatase inhibitor suppresses tumor cell anchorage-independent growth by a novel mechanism involving p130Cas cleavage.** Daouti, S., Li, W., Qian, H., Huang, K.-S., Holmgren, J., Levin, W., Reik, L., et al. (2008). *Cancer research*, 68(4), 1162–9. doi:10.1158/0008-5472.CAN-07-2349
- 2. New technology for investigating trophoblast function.** Keogh, R. J. (2010). *Placenta*, 31(4), 347–50. doi:10.1016/j.placenta.2010.02.008
- 3. Melanoblasts in culture as an in vitro system to determine molecular changes in melanoma.** Bosserhoff, A. K., Ellmann, L., & Kuphal, S. (2011). *Experimental dermatology*, 20(5), 435–40. doi:10.1111/j.1600-0625.2011.01271.x
- 4. Keratinocyte-derived laminin-332 promotes adhesion and migration in melanocytes and melanoma.** Chung, H., Suh, E.-K., Han, I.-O., & Oh, E.-S. (2011). *The Journal of biological chemistry*, 286(15), 13438–47. doi:10.1074/jbc.M110.166751
- 5. Hypoxia-driven cell motility reflects the interplay between JMY and HIF-1 α .** Coutts, A S, Pires, I. M., Weston, L., Buffa, F. M., Milani, M., Li, J.-L., Harris, A. L., et al. (2011). *Oncogene*, 30(48), 4835–42. doi:10.1038/onc.2011.188
- 6. Mechanistic modeling of the effects of myoferlin on tumor cell invasion.** Eisenberg, M. C., Kim, Y., Li, R., Ackerman, W. E., Kniss, D. a, & Friedman, A. (2011). *Proceedings of the National Academy of Sciences of the United States of America*, 108(50), 20078–83. doi:10.1073/pnas.1116327108

7. **Silencing of the SEC62 gene inhibits migratory and invasive potential of various tumor cells.** Greiner, M., Kreutzer, B., Jung, V., Grobholz, R., Hasenfus, A., Stöhr, R. F., Tornillo, L., et al. (2011). *International journal of cancer. Journal international du cancer*, 128(10), 2284–95. doi:10.1002/ijc.25580
8. **Nitric oxide suppresses tumor cell migration through N-Myc downstream-regulated gene-1 (NDRG1) expression: role of chelatable iron.** Hickok, J. R., Sahni, S., Mikhed, Y., Bonini, M. G., & Thomas, D. D. (2011). *The Journal of biological chemistry*, 286(48), 41413–24. doi:10.1074/jbc.M111.287052
9. **Non-canonical pathways of HIF1-alpha regulation in ovarian cancer implications for tumor angiogenesis and metastasis.** Joshi, H. P. (2011)., (October). Retrieved from <http://purl.umn.edu/123380>
10. **sFRP-1 binds via its netrin-related motif to the N-module of thrombospondin-1 and blocks thrombospondin-1 stimulation of MDA-MB-231 breast carcinoma cell adhesion and migration.** Martin-Manso, G., Calzada, M. J., Chuman, Y., Sipes, J. M., Xavier, C. P., Wolf, V., Kuznetsova, S. a, et al. (2011). *Archives of biochemistry and biophysics*, 509(2), 147–56. doi:10.1016/j.abb.2011.03.004
11. **YK-4-279 inhibits ERG and ETV1 mediated prostate cancer cell invasion.** Rahim, S., Beauchamp, E. M., Kong, Y., Brown, M. L., Toretsky, J. a, & Üren, A. (2011). *PLoS one*, 6(4), e19343. doi:10.1371/journal.pone.0019343
12. **A real-time electrical impedance based technique to measure invasion of endothelial cell monolayer by cancer cells.** Rahim, S., & Üren, A. (2011). *Journal of visualized experiments : JoVE*, (50), 2–5. doi:10.3791/2792
13. **Ionizing radiation induces migration of glioblastoma cells by activating BK K(+) channels.** Steinle, M., Palme, D., Misovic, M., Rudner, J., Dittmann, K., Lukowski, R., Ruth, P., et al. (2011). *Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology*, 101(1), 122–6. doi:10.1016/j.radonc.2011.05.069
14. **Differential roles of Src in transforming growth factor-β regulation of growth arrest, epithelial-to-mesenchymal transition and cell migration in pancreatic ductal adenocarcinoma cells.** Ungefroren, H., Sebens, S., Groth, S., Gieseler, F., & Fändrich, F. (2011). *International journal of oncology*, 38(3), 797–805. doi:10.3892/ijo.2011.897
15. **Adhesion Protein Protocols IN Series Editor.** Coutts, Amanda S, & Walker, J. M. (n.d.).
16. **Transient invasive migration in mouse cumulus oocyte complexes induced at ovulation by luteinizing hormone.** Akison, L. K., Alvino, E. R., Dunning, K. R., Robker, R. L., & Russell, D. L. (2012). *Biology of reproduction*, 86(4), 125. doi:10.1095/biolreprod.111.097345
17. **The Src family kinase inhibitors PP2 and PP1 effectively block TGF-beta1-induced cell migration and invasion in both established and primary carcinoma cells.** Bartscht, T., Lehnert, H., Gieseler, F., & Ungefroren, H. (2012). *Cancer chemotherapy and pharmacology*, 70(2), 221–30. doi:10.1007/s00280-012-1904-0
18. **Hierarchy between the transmembrane and cytoplasmic domains in the regulation of syndecan-4 functions.** Choi, Y., Kang, D., Han, I.-O., & Oh, E.-S. (2012). *Cellular signalling*, 24(8), 1522–30. doi:10.1016/j.cellsig.2012.03.020
19. **Systemic shRNA mediated knock-down of S100A4 in colorectal cancer xenografted mice reduces metastasis formation ABSTRACT** : Dahlmann, M., Sack, U., Herrmann, P., Lemm, M., Fichtner, I., Schlag, P. M., & Stein, U. (2012). *Oncotarget*, 3(8), 783–797.

20. **The renal v-ATPase a4 subunit is expressed in specific subtypes of human gliomas.** Gleize, V., Boisselier, B., Marie, Y., Poëa-Guyon, S., Sanson, M., & Morel, N. (2012). *Glia*, 60(6), 1004–12. doi:10.1002/glia.22332
21. **Cancer-associated fibroblasts from human NSCLC survive ablative doses of radiation but their invasive capacity is reduced.** Hellevik, T., Pettersen, I., Berg, V., Winberg, J. O., Moe, B. T., Bartnes, K., Paulssen, R. H., et al. (2012). *Radiation oncology (London, England)*, 7(1), 59. doi:10.1186/1748-717X-7-59
22. **MicroRNA-200c represses migration and invasion of breast cancer cells by targeting actin-regulatory proteins FHOD1 and PPM1F.** Jurmeister, S., Baumann, M., Balwierz, A., Keklikoglou, I., Ward, A., Uhlmann, S., Zhang, J. D., et al. (2012). *Molecular and cellular biology*, 32(3), 633–51. doi:10.1128/MCB.06212-11
23. **3T3 cell lines stably expressing Pax6 or Pax6(5a)--a new tool used for identification of common and isoform specific target genes.** Kiselev, Y., Eriksen, T. E., Forsdahl, S., Nguyen, L. H. T., & Mikkola, I. (2012). *PLoS one*, 7(2), e31915. doi:10.1371/journal.pone.0031915
24. **c-Myb regulates matrix metalloproteinases 1/9, and cathepsin D: implications for matrix-dependent breast cancer cell invasion and metastasis.** Knopfová, L., Beneš, P., Pekarčíková, L., Hermanová, M., Masařík, M., Pernicová, Z., Souček, K., et al. (2012). *Molecular cancer*, 11(1), 15. doi:10.1186/1476-4598-11-15
25. **Calpain 2 is required for the invasion of glioblastoma cells in the zebrafish brain microenvironment.** Lal, S., La Du, J., Tanguay, R. L., & Greenwood, J. a. (2012). *Journal of neuroscience research*, 90(4), 769–81. doi:10.1002/jnr.22794
26. **Raf-1 oncogenic signaling is linked to activation of mesenchymal to epithelial transition pathway in metastatic breast cancer cells.** Leontovich, A. a, Zhang, S., Quatraro, C., Iankov, I., Veroux, P. F., Gambino, M. W., Degnim, A., et al. (2012). *International journal of oncology*, 40(6), 1858–64. doi:10.3892/ijo.2012.1407
27. **Comparative analysis of dynamic cell viability, migration and invasion assessments by novel real-time technology and classic endpoint assays.** Limame, R., Wouters, A., Pauwels, B., Franssen, E., Peeters, M., Lardon, F., De Wever, O., et al. (2012). *PLoS one*, 7(10), e46536. doi:10.1371/journal.pone.0046536
28. **Capsaicin-mediated tNOX (ENOX2) up-regulation enhances cell proliferation and migration in vitro and in vivo.** Liu, N.-C., Hsieh, P.-F., Hsieh, M.-K., Zeng, Z.-M., Cheng, H.-L., Liao, J.-W., & Chueh, P. J. (2012). *Journal of agricultural and food chemistry*, 60(10), 2758–65. doi:10.1021/jf204869w
29. **Cortisol-mediated adhesion of synovial fibroblasts is dependent on the degradation of anandamide and activation of the endocannabinoid system.** Lowin, T., Zhu, W., Dettmer-Wilde, K., & Straub, R. H. (2012). *Arthritis and rheumatism*, 1–35. doi:10.1002/art.37684
30. **Tumor vascular responses to antivascular and antiangiogenic strategies: looking for suitable models.** Mriouah, J., Boura, C., Thomassin, M., Bastogne, T., Dumas, D., Faivre, B., & Barberi-Heyob, M. (2012). *Trends in biotechnology*, 30(12), 649–58. doi:10.1016/j.tibtech.2012.08.006
31. **Macrophage migration inhibitory factor (MIF) promotes cell survival and proliferation of neural stem/progenitor cells.** Ohta, S., Misawa, A., Fukaya, R., Inoue, S., Kanemura, Y., Okano, H., Kawakami, Y., et al. (2012). *Journal of cell science*, (March). doi:10.1242/jcs.102210

32. **Lack of CCR7 expression is rate limiting for lymphatic spread of pancreatic ductal adenocarcinoma.** Sperveslage, J., Frank, S., Heneweer, C., Egberts, J., Schniewind, B., Buchholz, M., Bergmann, F., et al. (2012). *International journal of cancer. Journal international du cancer*, 131(4), E371–81. doi:10.1002/ijc.26502
33. **Chemotherapeutic agents enhance cell migration and epithelial-to-mesenchymal transition through transient up-regulation of tNOX (ENOX2) protein.** Su, Y.-C., Lin, Y.-H., Zeng, Z.-M., Shao, K.-N., & Chueh, P. J. (2012). *Biochimica et biophysica acta*, 1820(11), 1744–52. doi:10.1016/j.bbagen.2012.07.009
34. **Nuclear envelope-localized EGF family protein amphiregulin activates breast cancer cell migration in an EGF-like domain independent manner.** Tanaka, H., Nishioka, Y., Yokoyama, Y., Higashiyama, S., Matsuura, N., Matsuura, S., & Hieda, M. (2012). *Biochemical and biophysical research communications*, 420(4), 721–6. doi:10.1016/j.bbrc.2012.03.045
35. **Endothelial cells obtained from patients affected by chronic venous disease exhibit a pro-inflammatory phenotype.** Tisato, V., Zauli, G., Voltan, R., Giancesini, S., di Iasio, M. G., Volpi, I., Fiorentini, G., et al. (2012). *PloS one*, 7(6), e39543. doi:10.1371/journal.pone.0039543
36. **Silencing of Glucose-Regulated Protein 78 (GRP78) Enhances Cell Migration Through the Upregulation of Vimentin in Hepatocellular Carcinoma Cells.** Wei, P.-L., Kuo, L.-J., Wang, W., Lin, F.-Y., Liu, H.-H., How, T., Ho, Y.-S., et al. (2012). *Annals of surgical oncology*, 19 Suppl 3, 572–9. doi:10.1245/s10434-011-2055-y
37. **NY-ESO-1 expression in hepatocellular carcinoma: A potential new marker for early recurrence after surgery.** Xu, H., Gu, N., Liu, Z.-B., Zheng, M., Xiong, F., Wang, S.-Y., Li, N., et al. (2012). *Oncology letters*, 3(1), 39–44. doi:10.3892/ol.2011.441
38. **Rhodocetin- $\alpha\beta$ -induced Neuropilin-1-cMet Association Triggers Restructuring of Matrix Contacts in Endothelial Cells.** Niland, S., Ditkowski, B., Parrandier, D., Roth, L., Augustin, H., & Eble, J. a. (2013, March). *Arteriosclerosis, thrombosis, and vascular biology*. doi:10.1161/ATVBAHA.112.00006
39. **The collagen-binding integrin $\alpha 2\beta 1$ is a novel interaction partner of the trimeresurus flavoviridis venom protein flavocetin-A.** Arlinghaus, F. T., & Eble, J. a. (2013, January 11). *The Journal of biological chemistry*. doi:10.1074/jbc.M112.399618
40. **Characterization of Spontaneous and TGF- β -Induced Cell Motility of Primary Human Normal and Neoplastic Mammary Cells In Vitro Using Novel Real-Time Technology.** Mandel, K., Seidl, D., Rades, D., Lehnert, H., Gieseler, F., Hass, R., & Ungefroren, H. (2013, January). *PloS one*. doi:10.1371/journal.pone.0056591
41. **Regulation of the Src Kinase-Associated Phosphoprotein 55 Homologue by the protein tyrosine phosphatase PTP-PEST in the control of cell motility.** Ayoub, E., Hall, A., Scott, A. M., Chagnon, M. M., Miquel, G., Halle, M., Noda, M., et al. (2013). *The Journal of biological chemistry*. doi:10.1074/jbc.M113.501007
42. **Control of extravillous trophoblast function by the eotaxins CCL11, CCL24 and CCL26.** Chau, S. E., Murthi, P., Wong, M. H., Whitley, G. S., Brennecke, S. P., & Keogh, R. J. (2013). *Human reproduction (Oxford, England)*, 28(6), 1497–507. doi:10.1093/humrep/det060
43. **Systemically Circulating Viral and Tumor-Derived MicroRNAs in KSHV-Associated Malignancies.** Chugh, P. E., Sin, S.-H., Ozgur, S., Henry, D. H., Menezes, P., Griffith, J., Eron, J. J., et al. (2013). *PLoS pathogens*, 9(7), e1003484. doi:10.1371/journal.ppat.1003484

44. **The Rho Guanine Nucleotide Exchange Factor Syx Regulates the Balance of Dia and ROCK Activities To Promote Polarized-Cancer-Cell Migration.** Dachselt, J. C., Ngok, S. P., Lewis-Tuffin, L. J., Kourtidis, A., Geyer, R., Johnston, L., Feathers, R., et al. (2013). *Molecular and cellular biology*, 33(24), 4909–18. doi:10.1128/MCB.00565-13
45. **Effect of aluminium on migratory and invasive properties of MCF-7 human breast cancer cells in culture.** Darbre, P. D., Bakir, A., & Iskakova, E. (2013). *Journal of inorganic biochemistry*, 5–9. doi:10.1016/j.jinorgbio.2013.07.004
46. **Protein Kinase D1 mediated phosphorylations regulate vasodilator-stimulated phosphoprotein (VASP) localization and cell migration.** Doepler, H. R., Bastea, L. I., Lewis-Tuffin, L. J., Anastasiadis, P. Z., & Storz, P. (2013). *The Journal of biological chemistry*. doi:10.1074/jbc.M113.474676
47. **Neuregulin mediates F-actin-driven cell migration through inhibition of protein kinase D1 via Rac1 protein.** Döppler, H., Bastea, L. I., Eiseler, T., & Storz, P. (2013). *The Journal of biological chemistry*, 288(1), 455–65. doi:10.1074/jbc.M112.397448
48. **AXL is a key regulator of inherent and chemotherapy-induced invasion and predicts a poor clinical outcome in early stage colon cancer.** Dunne, P., McArt, D. G., Blayney, J. K., Kalimutho, M., Greer, S., Wang, T., Srivastava, S., et al. (2013). *Clinical cancer research : an official journal of the American Association for Cancer Research*. doi:10.1158/1078-0432.CCR-13-1354
49. **An essential role for decorin in bladder cancer invasiveness.** El Behi, M., Krumeich, S., Lodillinsky, C., Kamoun, A., Tibaldi, L., Sugano, G., De Reynies, A., et al. (2013). *EMBO molecular medicine*, 5(12), 1835–51. doi:10.1002/emmm.201302655
50. **Axl Mediates Acquired Resistance of Head and Neck Cancer Cells to the Epidermal Growth Factor Receptor Inhibitor Erlotinib.** Giles, K. M., Kalinowski, F. C., Candy, P. a, Epis, M. R., Zhang, P. M., Redfern, A. D., Stuart, L. M., et al. (2013). *Molecular cancer therapeutics*, 2541–2558. doi:10.1158/1535-7163.MCT-13-0170
51. **Growth differentiation factor 15 stimulates rapamycin-sensitive ovarian cancer cell growth and invasion.** Griner, S. E., Joshi, J. P., & Nahta, R. (2013). *Biochemical pharmacology*, 85(1), 46–58. doi:10.1016/j.bcp.2012.10.007
52. **Impact of MACC1 on human malignant glioma progression and patients' unfavorable prognosis.** Hagemann, C., Fuchs, S., Monoranu, C. M., Herrmann, P., Smith, J., Hohmann, T., Grabiec, U., et al. (2013). *Journal of Neuro-Oncology*, 1–14.
53. **Identification of the C3a Receptor (C3AR1) as the Target of the VGF-derived Peptide TLQP-21 in Rodent Cells.** Hannedouche, S., Beck, V., Beibel, M., Oakeley, E. J., Lannoy, V., Bernard, J., Hamon, J., et al. (2013). doi:10.1074/jbc.M113.497214
54. **A Real Time Chemotaxis Assay Unveils Unique Migratory Profiles amongst Different Primary Murine Macrophages.** Iqbal, A. J., Regan-Komito, D., Christou, I., White, G. E., McNeill, E., Kenyon, A., Taylor, L., et al. (2013). (J. Wallace, Ed.) *PLoS ONE*, 8(3), e58744. doi:10.1371/journal.pone.0058744
55. **Cathepsin H mediates the processing of talin and regulates migration of prostate cancer cells.** Jevnikar, Z., Rojnik, M., Jamnik, P., Doljak, B., Fonovic, U. P., & Kos, J. (2013). *The Journal of Biological Chemistry*, 288(4), 2201–9. doi:10.1074/jbc.M112.436394

56. **Down-regulation of the cancer/testis antigen 45 (CT45) is associated with altered tumor cell morphology, adhesion and migration.** Koop, A., Sellami, N., Adam-Klages, S., Lettau, M., Kabelitz, D., Janssen, O., & Heidebrecht, H.-J. (2013). *Cell communication and signaling : CCS*, 11(1), 41. doi:10.1186/1478-811X-11-41
57. **Rab25 regulates integrin expression in polarized colonic epithelial cells.** Krishnan, M., Lapierre, L. a, Knowles, B. C., & Goldenring, J. R. (2013). *Molecular biology of the cell*, 24(6), 818–31. doi:10.1091/mbc.E12-10-0745
58. **Optimizing patient derived mesenchymal stem cells as virus carriers for a phase I clinical trial in ovarian cancer.** Mader, E. K., Butler, G., Dowdy, S. C., Mariani, A., Knutson, K. L., Federspiel, M. J., Russell, S. J., et al. (2013). *Journal of translational medicine*, 11(1), 20. doi:10.1186/1479-5876-11-20
59. **A complex containing LPP and α -actinin mediates TGF β -induced migration and invasion of ErbB2-expressing breast cancer cells.** Ngan, E., Northey, J. J., Brown, C. M., Ursini-Siegel, J., & Siegel, P. M. (2013). *Journal of cell science*, 126(Pt 9), 1981–91. doi:10.1242/jcs.118315
60. **A novel snRNA-like transcript affects amyloidogenesis and cell cycle progression through perturbation of Fe65L1 (APBB2) alternative splicing.** Penna, I., Vassallo, I., Nizzari, M., Russo, D., Costa, D., Menichini, P., Poggi, A., et al. (2013). *Biochimica et biophysica acta*, 1833(6), 1511–26. doi:10.1016/j.bbamcr.2013.02.020
61. **Osteocyte-induced angiogenesis via VEGF-MAPK-dependent pathways in endothelial cells.** Prasad, I., Zhou, Y., Du, Z., Chen, J., Crawford, R., & Xiao, Y. (2013). *Molecular and cellular biochemistry*. doi:10.1007/s11010-013-1840-2
62. **MiR-210 expression in tumor tissue and in vitro effects of its silencing in renal cell carcinoma.** Redova, M., Poprach, A., Besse, A., Iliev, R., Nekvindova, J., Lakomy, R., Radova, L., et al. (2013). *Tumour biology : the journal of the International Society for Oncodevelopmental Biology and Medicine*, 34(1), 481–91. doi:10.1007/s13277-012-0573-2
63. **Consistency of the proteome in primary human keratinocytes with respect to gender, age, and skin localization.** Sprenger, A., Weber, S., Zarai, M., Engelke, R., Nascimento, J. M., Gretzmeier, C., Hilpert, M., et al. (2013). *Molecular & cellular proteomics : MCP*, 12(9), 2509–21. doi:10.1074/mcp.M112.025478
64. **New blocking antibodies impede adhesion, migration and survival of ovarian cancer cells, highlighting MFG8 as a potential therapeutic target of human ovarian carcinoma.** Tibaldi, L., Leyman, S., Nicolas, A., Notebaert, S., Dewulf, M., Ngo, T. H., Zuany-Amorim, C., et al. (2013). *PloS one*, 8(8), e72708. doi:10.1371/journal.pone.0072708
65. **Src kinases in chondrosarcoma chemoresistance and migration: dasatinib sensitises to doxorubicin in TP53 mutant cells.** van Oosterwijk, J. G., van Ruler, M. a J. H., Briaire-de Bruijn, I. H., Herpers, B., Gelderblom, H., van de Water, B., & Bovée, J. V. M. G. (2013). *British journal of cancer*, (August), 1–9. doi:10.1038/bjc.2013.451
66. **Neuroimmune guidance cue Semaphorin 3E is expressed in atherosclerotic plaques and regulates macrophage retention.** Wanschel, A., Seibert, T., Hewing, B., Ramkhelawon, B., Ray, T. D., van Gils, J. M., Rayner, K. J., et al. (2013). *Arteriosclerosis, thrombosis, and vascular biology*, 33(5), 886–93. doi:10.1161/ATVBAHA.112.300941
67. **Withania somnifera Root Extract Inhibits Mammary Cancer Metastasis and Epithelial to Mesenchymal Transition.** Yang, Z., Garcia, A., Xu, S., Powell, D. R., Vertino, P. M., Singh, S., & Marcus, A. I. (2013). *PloS one*, 8(9), e75069. doi:10.1371/journal.pone.0075069

68. **Growth factor receptor-Src-mediated suppression of GRK6 dysregulates CXCR4 signaling and promotes medulloblastoma migration.** Yuan, L., Zhang, H., Liu, J., Rubin, J. B., Cho, Y.-J., Shu, H. K., Schniederjan, M., et al. (2013). *Molecular cancer*, 12(1), 18. doi:10.1186/1476-4598-12-18
69. **Regulation of CXCR4-mediated invasion by DARPP-32 in gastric cancer cells.** Zhu, S., Hong, J., Tripathi, M. K., Sehdev, V., Belkhiri, A., & El-Rifai, W. (2013). *Molecular cancer research : MCR*, 11(1), 86–94. doi:10.1158/1541-7786.MCR-12-0243-T
70. **Induction of tumor stem cell differentiation-novel strategy to overcome therapy resistance in gastric cancer.** Zieker, D., Bühler, S., Ustündag, Z., Königsrainer, I., Manncke, S., Bajaeifer, K., Vollmer, J., et al. (2013). *Langenbeck's archives of surgery / Deutsche Gesellschaft für Chirurgie*, 4–9. doi:10.1007/s00423-013-1058-5
71. **12-O-tetradecanoylphorbol-13-acetate promotes breast cancer cell motility by increasing S100A14 level in a Kruppel-like transcription factor 4 (KLF4)-dependent manner.** He, H., Li, S., Chen, H., Li, L., Xu, C., Ding, F., Zhan, Y., et al. (2014). *The Journal of biological chemistry*, 289(13), 9089–99. doi:10.1074/jbc.M113.534271
72. **Exposure to parabens at the concentration of maximal proliferative response increases migratory and invasive activity of human breast cancer cells in vitro.** Khanna, S., Dash, P. R., & Darbre, P. D. (2014). *Journal of applied toxicology : JAT*, (January). doi:10.1002/jat.3003
73. **Aryl hydrocarbon receptor antagonism attenuates growth factor expression, proliferation, and migration in fibroblast-like synoviocytes from patients with rheumatoid arthritis.** Lahoti, T. S., Hughes, J. M., Kusnadi, A., John, K., Zhu, B., Murray, I. a, Gowda, K., et al. (2014). *The Journal of pharmacology and experimental therapeutics*, 348(2), 236–45. doi:10.1124/jpet.113.209726
74. **Olive oil compounds inhibit vascular endothelial growth factor receptor-2 phosphorylation.** Lamy, S., Ouanouki, A., Béliveau, R., & Desrosiers, R. R. (2014). *Experimental cell research*, 322(1), 89–98. doi:10.1016/j.yexcr.2013.11.022
75. **Regulation and function of the atypical cadherin FAT1 in hepatocellular carcinoma.** Valletta, D., Czech, B., Spruss, T., Ikenberg, K., Wild, P., Hartmann, A., Weiss, T. S., et al. (2014). *Carcinogenesis*, 00(00), 1–9. doi:10.1093/carcin/bgu054
76. **G protein-coupled receptor kinase GRK5 phosphorylates moesin and regulates metastasis in prostate cancer.** Chakraborty, P. K., Zhang, Y., Coomes, A. S., Kim, W.-J., Stupay, R., Lynch, L. D., Atkinson, T., et al. (2014). *Cancer research*, 74(13), 3489–500. doi:10.1158/0008-5472.CAN-13-2708
77. **A Homozygous Missense Mutation in the Ciliary Gene TTC21B Causes Familial FSGS.** Cong, E. H., Bizet, A. a, Boyer, O., Woerner, S., Gribouval, O., Filhol, E., Arrondel, C., et al. (2014). *Journal of the American Society of Nephrology : JASN*, 1–9. doi:10.1681/ASN.2013101126
78. **Using real-time impedance based assay to monitor the effects of fibroblast derived media on the adhesion, proliferation, migration, and invasion of colon cancer cells.** Kiely, P. (2014). *Bioscience Reports*.
79. **Placental expression of aminopeptidase-Q (laeverin) and its role in the pathophysiology of preeclampsia.** Nystad, M., Sitras, V., Larsen, M., & Acharya, G. (2014). *American journal of obstetrics and gynecology*. doi:10.1016/j.ajog.2014.06.047

80. **The glycosphingolipid P1 is an ovarian cancer-associated carbohydrate antigen involved in migration.** Jacob, F., Anugraham, M., Pochechueva, T., Tse, B. W. C., Alam, S., Guertler, R., Bovin, N. V, et al. (2014). *British journal of cancer*, 3(August), 1–12. doi:10.1038/bjc.2014.455
81. **Human Vascular Tissue Models Formed from Human Induced Pluripotent Stem Cell Derived Endothelial Cells.** Belair, D. G., Whisler, J. a, Valdez, J., Velazquez, J., Molenda, J. a, Vickerman, V., Lewis, R., et al. (2014). *Stem cell reviews*. doi:10.1007/s12015-014-9549-5
82. **Overexpression of MERTK receptor tyrosine kinase in epithelial cancer cells drives efferocytosis in a gain-of-function capacity.** Nguyen, K.-Q. N., Tsou, W.-I., Calarese, D. a, Kimani, S. G., Singh, S., Hsieh, S., Liu, Y., et al. (2014). *The Journal of biological chemistry*, 289(37), 25737–49. doi:10.1074/jbc.M114.570838
83. **CUB Domain Containing Protein 1 (CDCP1) modulates adhesion and motility in colon cancer cells.** Orchard-Webb, D. J., Lee, T. C., Cook, G. P., & Blair, G. E. (2014). *BMC cancer*, 14(1), 754. doi:10.1186/1471-2407-14-754
84. **miR-146a functions as a tumor suppressor in prostate cancer by targeting Rac1.** Sun, Q., Zhao, X., Liu, X., Wang, Y., Huang, J., Jiang, B., Chen, Q., et al. (2014). *The Prostate*, 74(16), 1613–21. doi:10.1002/pros.22878
85. **ARHGDI1 mutations cause nephrotic syndrome via defective RHO GTPase signaling.** Gee, H., Saisawat, P., & Ashraf, S. (2013). *The Journal of ...*, 123(8), 3243–3253. doi:10.1172/JCI69134.Research
86. **Cotylenin A and arsenic trioxide cooperatively suppress cell proliferation and cell invasion activity in human breast cancer cells.** Kasukabe, T., Okabe-Kado, J., Kato, N., Honma, Y., & Kumakura, S. (2015). *International journal of oncology*, 46(2), 841–8. doi:10.3892/ijo.2014.2760
87. **Protective Effects of Ginsenoside Rg1 on Astrocytes and Cerebral Ischemic-Reperfusion Mice.** Sun, C., Lai, X., Huang, X., & Zeng, Y. (2014)., 37(December), 1891–1898.
88. **Wnt signaling blockage inhibits cell proliferation and migration, and induces apoptosis in triple-negative breast cancer cells.** Bilir, B., Kucuk, O., & Moreno, C. S. (2013). *Journal of translational medicine*, 11(1), 280. doi:10.1186/1479-5876-11-280
89. **Pharmacogenomic profiling and pathway analyses identify MAPK-dependent migration as an acute response to SN38 in p53 null and p53-mutant colorectal cancer cells.** Allen, W. L., Turkington, R. C., Stevenson, L., Carson, G., Coyle, V. M., Hector, S., Dunne, P., et al. (2012). *Molecular cancer therapeutics*, 11(8), 1724–34. doi:10.1158/1535-7163.MCT-12-0207
90. **High nuclear level of Vav1 is a positive prognostic factor in early invasive breast tumors : a role in modulating genes related to the efficiency of metastatic process.** Grassilli, S., Brugnoli, F., Lattanzio, R., Rossi, C., Mottolese, M., Marchisio, M., Palomba, M., et al. (n.d.), 5(12).
91. **Carcinoembryonic Antigen Cell Adhesion Molecule 1 long isoform modulates malignancy of poorly differentiated colon cancer cells.** Arabzadeh, a., Dupaul-Chicoine, J., Breton, V., Haftchenary, S., Yumeen, S., Turbide, C., Saleh, M., et al. (2015). *Gut*, (L), 1–9. doi:10.1136/gutjnl-2014-308781
92. **[44-or] Statins reduce soluble Flt1, and quench endothelial dysfunction in primary human tissues, but increase soluble endoglin release.** Brownfoot, F. C., Kaitu'u-Lino, T. J., Hannan, N., Hastie, R., Cannon, P., Onda, K., &

- Tong, S. (2015). *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 5(1), 22–23. doi:10.1016/j.preghy.2014.10.048
93. **Peripheral Blood Derived Mononuclear Cells Enhance the Migration and Chondrogenic Differentiation of Multipotent Mesenchymal Stromal Cells.** Hopper, N., Wardale, J., Howard, D., Brooks, R., Rushton, N., & Henson, F. (2015)., 2015.
94. **[28-or] The newly described primate and placental specific sFlt1 isoform - e15a is biologically active and antagonises VEGF.** Kaitu'u-Lino, T., Palmer, K., Hastie, R., Cannon, P., Hannan, N. J., & Tong, S. (2015). *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 5(2015), 14. doi:10.1016/j.preghy.2014.10.032
95. **Altered expression of platelet factor 4 and basic fibroblast growth factor correlates with the inhibition of tumor growth in mice.** Mabetta, P., & Pepper, M. S. (2015). *Biomedicine & Pharmacotherapy*, 69, 186–190. doi:10.1016/j.biopha.2014.11.018
96. **Activation of β_2 -adrenergic receptor by (R,R')-4'-methoxy-1-naphthylfenoterol inhibits proliferation and motility of melanoma cells.** Wnorowski, A., Sadowska, M., Paul, R. K., Singh, N. S., Boguszewska-Czubara, A., Jimenez, L., Abdelmohsen, K., et al. (2015). *Cellular Signalling*, 27, 997–1007. doi:10.1016/j.cellsig.2015.02.012
97. **Anti-cancer potential of MAPK pathway inhibition in paragangliomas-effect of different statins on mouse pheochromocytoma cells.** Flidner, S. M. J., Engel, T., Lendvai, N. K., Shankavaram, U., Nölting, S., Wesley, R., Elkahoun, A. G., et al. (2014). *PLoS ONE*, 9(5), 1–9. doi:10.1371/journal.pone.0097712
98. **Stress-Induced CXCR4 Promotes Migration and Invasion of Ewing Sarcoma.** Krook, M. a, Nicholls, L. a, & Scannell, C. a. (2014)., 953–964. doi:10.1158/1541-7786.MCR-13-0668
99. **Transcriptional regulation and functional characterization of the oxysterol/EBI2 system in primary human macrophages.** Preuss, I., Ludwig, M.-G., Baumgarten, B., Bassilana, F., Gessier, F., Seuwen, K., & Sailer, A. W. (2014). *Biochemical and biophysical research communications*, 446(3), 663–8. doi:10.1016/j.bbrc.2014.01.069
100. **Rac1b negatively regulates TGF- β 1-induced cell motility in pancreatic ductal epithelial cells by suppressing Smad signalling.** Ungefroren, H., Sebens, S., Giehl, K., & Helm, O. (2014). *Oncotarget*, 5(1), 1–28. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3960208/>
101. **Differential roles of Smad2 and Smad3 in the regulation of TGF- β 1-mediated growth inhibition and cell migration in pancreatic ductal adenocarcinoma cells: control by Rac1.** Ungefroren, H., Groth, S., Sebens, S., Lehnert, H., Gieseler, F., & Fändrich, F. (2011). *Molecular cancer*, 10(1), 67. doi:10.1186/1476-4598-10-67
- *102. **Real-time monitoring of cell protrusion dynamics by impedance responses.** Armando Gagliardi, P., Puliafito, A., di Blasio, L., Chianale, F., Somale, D., Seano, G., Bussolino, F., et al. (2015). *Scientific Reports*, 5, 10206. doi:10.1038/srep10206
- *103. **Slow binding kinetics of secreted protein, acidic, rich in cysteine-VEGF interaction limit VEGF activation of VEGF receptor 2 and attenuate angiogenesis.** Cydzik, M., Abdul-Wahid, a., Park, S., Bourdeau, a., Bowden, K., Prodeus, a., Kollara, a., et al. (2015). *The FASEB Journal*, 29, 3493–3505. doi:10.1096/fj.15-271775

- *104. **The ubiquitin ligase CHIP inactivates NF- κ B signaling and impairs the ability of migration and invasion in gastric cancer cells.** Liu, F., Zhou, J., Zhou, P., Chen, W., & Guo, F. (2015). *International Journal of Oncology*, 2(10), 2096–2106. doi:10.3892/ijo.2015.2893
- *105. **Particle-induced cell migration assay (PICMA): A new in vitro assay for inflammatory particle effects based on permanent cell lines.** Westphal, G. a., Schremmer, I., Rostek, A., Loza, K., Rosenkranz, N., Brüning, T., Epple, M., et al. (2015). *Toxicology in Vitro*, 29(5), 997–1005. doi:10.1016/j.tiv.2015.04.005
- *106. **Cyclization of the Urokinase Receptor-Derived Ser-Arg-Ser-Arg-Tyr Peptide Generates a Potent Inhibitor of Trans-Endothelial Migration of Monocytes.** Younis, A. M., Minopoli, M., Bifulco, K., Ingangi, V., Di Carluccio, G., Merlino, F., Motti, M. L., et al. (2015). *Plos One*, 10, e0126172. doi:10.1371/journal.pone.0126172
- *107. **Cooperative interactions between p53 and NF κ B enhance cell plasticity.** Bisio, A., Zámboresky, J., Zaccara, S., Lion, M., Sharma, V., Raimondi, I., Alessandrini, F., et al. (2014)., 5(23).
- *108. **HDAC2 deregulation in tumorigenesis is causally connected to repression of immune modulation and defense escape.** Conte, M., Aversana, C. D., Benedetti, R., Carissimo, A., Petrizzi, V. B., Arco, A. M. D., Abbondanza, C., et al. (2014)., 6(2).
- *109. **Targeting of DNA Damage Signaling Pathway Induced Senescence and Reduced Migration of Cancer cells.** Gao, R., Singh, R., Kaul, Z., Kaul, S. C., & Wadhwa, R. (2014). *The journals of gerontology. Series A, Biological sciences and medical sciences*, 701–713. doi:10.1093/gerona/glu019
- *110. **In triple negative breast tumor cells , PLC- β 2 promotes the conversion of CD133 high to CD133 low phenotype and reduces the CD133-related invasiveness.** Brugnoli, F., Grassilli, S., Piazzini, M., Palomba, M., Nika, E., Bavelloni, A., Capitani, S., et al. (2013)., 1–15. doi:10.1186/1476-4598-12-165
- *111. **Membrane-type matrix metalloproteinase 1 regulates trophoblast functions and is reduced in fetal growth restriction.** Hiden, U., Ghaffari-Tabrizi, N., Gauster, M., Tam-Amersdorfer, C., Cetin, I., Dieber-Rotheneder, M., Lang, U., et al. (2013). *American Journal of Pathology*, 182(5), 1563–1571. doi:10.1016/j.ajpath.2013.01.011
- *112. **Identification of cbx3 and abca5 as putative biomarkers for tumor stem cells in osteosarcoma.** Saini, V., Hose, C. D., Monks, A., Nagashima, K., Han, B., Newton, D. L., Millione, A., et al. (2012). *PLoS ONE*, 7(8), 1–14. doi:10.1371/journal.pone.0041401
- *113. **Urokinase receptor promotes ovarian cancer cell dissemination through its 84-95 sequence ABSTRACT :** Bifulco, K., Votta, G., Ingangi, V., Carluccio, G. Di, Rea, D., Losito, S., Montuori, N., et al. (n.d.), 5(12).